



KONICA MINOLTA

innex CM Series

Unleash Mobility

Versatile and Dynamic. Suitable for Any Space.



Versatile Use

Corporate Teams

Empower flexible teamwork anywhere in the office. Move it easily, connect in seconds, and dive into interactive brainstorming like never before!

Education & Training

Ideal for schools and workshops, with a natural writing feel for smooth, hands-on learning experiences.

Creatives & Design

Sketch, ideate, and share on a lifelike screen that supports your every move, turning ideas into action.

SMEs & Startups

Get high-quality collaboration without the hassle of a fixed setup. Perfect for growing teams on the move!



P-CAP
Touch



Wide Color
Gamut



MPP
Support



Paper-Like
Writing



AI Camera &
8 Mics



Wireless
Conferencing



Mobility

Konica Minolta Business Solutions India Pvt. Ltd.

Building No: 8, Tower-C, 10th Floor, DLF Cyber City, Phase-2, Gurugram, Haryana-122002, India
Board No. +91-124-6652000

URL: www.konicaminolta.in | marcom@bin.konicaminolta.in

Connect with us:






KONICA MINOLTA

Unleash Mobility and Collaboration!

Experience unmatched mobility and flexibility with the 55" Innex CM Series interactive display, designed to elevate collaboration. With full BYOM support, start video conferences instantly and wirelessly access essential features like the camera, mic, speaker, and touchback control. The pressure-sensitive pen delivers a natural, paper-like feel for enhanced creativity. Easily move the display to transform any space into a collaborative hub, boosting productivity and unlocking the full potential of your meetings.



Integrated AI Camera and Premium Sound Quality

- Wide-angle camera featuring AI video modes including smart gallery, speaker tracking and auto-framing.
- Premium built-in microphone array and powerful speaker for full-room coverage.



Collaborate and Create with Windows Ink

Annotate, mark up, and highlight content using your fingers, the included writing pen, and the eraser tool on the Windows whiteboard, Office365, or Windows Ink, enabling seamless collaboration.



Intuitive Whiteboard

The CM Series whiteboard software enhances collaboration through an intuitive, interactive workspace. Users can annotate and capture screenshots directly from their laptops during screen sharing, integrating them seamlessly into the whiteboard for a more dynamic idea-sharing experience.

Microsoft Pen Protocol

The MPP 2.0 stylus pen elevates productivity with enhanced precision and responsiveness for a smooth, natural writing experience. Its 4096 pressure sensitivity captures every detail, making it ideal for sketching, note-taking, and annotating. Plus, the convenient tail eraser allows users to effortlessly correct mistakes with a simple flip.





KONICA MINOLTA

Ultimate Wireless BYOD Solution!


Experience seamless collaboration with Connect Pro dongles, AirPlay, Miracast, and Chromecast for effortless screen sharing from any device. With multi-screen sharing, multiple users can present simultaneously, enhancing teamwork and boosting productivity.



Plug and Play Connect Pro Button



Airplay / Miracast / Chromecast



Multi-Screen Sharing

Wireless Conferencing with Camera Streaming

Wirelessly access the built-in camera and 8-microphone array from your laptop with high clarity using the Connect Pro Button or our software. Effortlessly integrate all your conference call software for enhanced collaboration, making presentations and video calls smoother than ever with seamless connectivity and stunning visuals.



Security Meets Convenience

With the bundled Connect Pro dongles, you can wirelessly display content and data directly from your laptop in just seconds. This eliminates the need for last-minute file transfers and reduces the risk of cloud drive password leaks when typing on an on-screen keyboard. Plus, it helps prevent unauthorized breaches by ensuring you don't forget to log off before the next user accesses the system.



Touchback Control with Microsoft Pen Protocol Support

Screen sharing with the Connect Pro Button, backed by MPP protocol support and touchback control, guarantees compatibility with Microsoft Office Suites, Whiteboard, OneNote, Edge and more.



innex CM Series SPECS

Display

Display Dimension 55"	Panel Type IPS	Brightness 350 Typical	Color 72% NTSC
Dynamic Contrast 5000:1	Back-Light E-lit LED	Resolution Ultra HD 3840 x 2160	Aspect Ratio 16:9
Response Time 8 ms Typ.	Viewing Angle 178°	Color Depth 1.07B Colors	Panel Frequency 60Hz
Low Blue Light Yes			

Touch

Touch Technology P-CAP Touch	Touch Surface 2H Film	Bonding Type Optical Bonding	Pen Support MPP Pen(1.5/2.0)
Accuracy Pen ±1 mm (0.04 in); Finger ±1.5 mm (0.06 in)	Touch Points 10 Points		

Speaker, Camera and Microphone

Speaker Output 10W x 2	Built-in Camera 8MP Sony IMX-415 sensor with FOV 120°	Camera Function Support Remote Control; Support Auto-Framing, Gallery, Speaker Tracking, Manual Mode	Microphone 8 Mic Array with AGC / ANR / AEC
----------------------------------	--	--	--

Embedded Operating System

CPU Quad Core, A55*4, 1.9Ghz	GPU Mali G52MP2	NPU 2.6 TOPS	RAM 8GB
ROM 64GB			

USB Type Wi-Fi module

Model name SI07B	Wi-Fi technology WLAN b/g/n/ax, 5G WLAN a/n/ac/ax	Antenna Build-in Antenna board	Power 5V-1A
----------------------------	---	--	-----------------------

I/O Ports & Buttons

Front IR Receiver x2	Rear Power Button x1 Reset Button x1 HDMI In x2 USB-A 3.0 x1 (Embedded system) USB-A 2.0 x2 (Embedded system) USB-C x1 (OTG / Connect Pro pairing) USB B for Touch x1 Line Out x1 RJ 45 In x1 OPS Slot x1 AC In x1
--------------------------------	--

Wireless Conferencing System

Receiver Embedded Screen share SW	Protocol Connect Pro Button(BYOM), Airplay, Miracast, Chromecast
---	--

Others

Accessory Connect Pro Button x2, MPP Pen x1 (Charged by USB-C), Remote Control x1, AAA Battery x2, Wi-Fi module, Mobile Stand, 1.5M (4.92ft) HDMI Cable x1, 1.5M (4.92ft)USB B-A Cable x1, 3M (9.84ft), USA Power Cable x1, 3M (9.84ft) EU Power Cable x1, 3M (9.84ft), UK Power Cable x1, 3M (9.84ft) India Power Cable x1	Certification CE, FCC, BSMI, BIS
---	--