



KONICA MINOLTA

Giving Shape to Ideas

EXPERIENCE THE FUTURE OF OFFICE PRINTING

bizhub 247i/227i/207i

A3 Monochrome Multifunction Printers



bh 247i
24
PPM

bh 227i
22
PPM

bh 207i
20
PPM



PRINT



SCAN



COPY



WIFI



SCAN TO
USB



NETWORK
INTERFACE
CARD



LINUX

TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

System speed A4	bizhub 247i : 24 ppm bizhub 227i : 22 ppm bizhub 207i : 20 ppm
1st page out time A4	6.5 sec.
Warm-up time	Approx. 15 sec. ¹
Imaging technology	Laser
Toner technology	Simitri® HD polymerised toner
Panel size/resolution	Monochrome graphic LCD with backlight
System memory	256 MB (standard/max)
Interface	10/100-Base-T Ethernet; USB 2.0; Wi-Fi (IEEE 802.11 a/b/g/n/ac)
Network protocols	TCP/IP (IPv4 / IPv6); SMB; LPD; IPP; SNMP; HTTP
Automatic document feeder (optional)	Up to 130 originals
Printable paper size	A5-A3; customized paper sizes
Printable paper weight	64-157 g/m ²
Paper input capacity	350 sheets/1,350 sheets(standard/max) ²
Paper tray input (standard)	1x 250 ; A5-A3; custom sizes; 64-157 g/m ²
Paper tray input (optional)	1x 250 sheets; A5-A3; custom sizes; 64-90 g/m ² (up to 4X)
Manual bypass	100 sheets; A5-A3; custom sizes; 64-157 g/m ²
Automatic duplexing (optional)*	A5-A3; 64-90 g/m ²
Output capacity	Up to 250 sheets
Power consumption	220-240 V / 50/60 Hz; Less than 1.30 kW
System dimension (W x D x H)	607 x 570 x 458 mm (without options)
System weight	Approx. 28.2 kg (without options)

PRINTER SPECIFICATIONS

Print resolution	600 x 600 dpi
Page description language	GDI
Operating systems	Windows Server 2016 (x64)/ 2019 (x64)/ 2022 (x64) Windows 10 (x86/x64)/ Windows 11 Red Hat Enterprise Linux 7.x, 8.x, 9.x Open SUSE Leap 15.x Kylin (V10) Neoklyin (V7) UOS (V20)

SCANNER SPECIFICATIONS

Scan speed	Up to 55/20 ipm in simplex (mono/color)
Scan resolution	Up to 600 x 600 dpi
Scan modes	Scan-to-eMail; Scan-to-SMB; Scan-to-FTP; Scan-to-USB; TWAIN scan
File formats	JPEG; TIFF; PDF
Scan destinations	32 destinations; 250 speed dials; LDAP support

COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Gradation	256 gradations
Multicopy	1-999
Original format	Max. A3
Magnification	25-400% in 1% steps; Auto-zooming

FAX SPECIFICATIONS

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax
Fax resolution	Up to 408 x 392 dpi
Fax compression	MH; MR; MMR; JBIG
Fax modem	Up to 33.6 Kbps
Fax destinations	32 destinations; 250 speed dials

SYSTEM FEATURES

Accounting	Up to 50 user accounts
Software	Fleet RMM, Web Connection

¹Warm-up time may vary depending on the operating environment and usage.

²Tray capacity is calculated on 80 GSM media.

*Standard in bh 247i and bh 227i.

- All specifications refer to A4-size paper of 80 g/m² quality.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
- Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

SYSTEM CONFIGURATION

1 OTHERS

Document feeder
DF-633

OR

Original cover
OC-512

Duplex unit
AD-509

2 CONNECTIVITY

Fax board
FK-510

Optional Panel
MK-750

3 MEDIA INPUT

Paper tray
PF-507

Copier desk (large)
DK-706

Copier desk (medium)
DK-707

Copier desk (small)
DK-708



LEGEND

- Mandatory option
- Option
- This option is mandatory with above option installed

FINISHING FUNCTIONALITIES



DUPLIX

DESCRIPTION

CONNECTIVITY

FK-510 Fax board	Super G3 fax
MK-750 Optional panel	Needed for fax function and scan one-touch destinations

OTHERS

DF-633 Document feeder	Reversing automatic document feeder, capacity 130 originals
OC-512 Original cover	Cover instead of ADF
AD-509 Duplex unit	For duplex printing and copying

MEDIA INPUT

PF-507 Paper tray	250 sheets, B5-A3, 64-90 g/m ²
DK-706 Copier desk (large)	For no or 1x PF-507
DK-707 Copier desk (medium)	For 2x PF-507
DK-708 Copier desk (small)	For 3x or 4x PF-507

*FK-510 and PF-507 not applicable for bizhub 207i. AD-509 is standard with bizhub 247i/227i



Simitri HD
High Definition Polymerized Toner





KONICA MINOLTA

bizhub 247i/227i/207i

or more information, please visit the bizhub website at
<https://bt.konicaminolta.in/bizhub247i/227i/207i-Product-Overview>

KONICA MINOLTA, the KONICA MINOLTA logo and symbol mark, "Giving Shape to Ideas", bizhub, bizhub PRO, bizhub PRESS, magicolor, PagePro, PageScope, Simitri, Simitri HD, Simitri HD+, Simitri with Biomass, Emperon, S.E.A.D., S.E.A.D.II, Printgroove and Konica Minolta Optimised Print Services and their respective logos are registered trademarks or trademarks of KONICA MINOLTA, INC. Evernote is a registered trademark or trademark of Evernote Corporation. SharePoint is a registered trademark or trademark of Microsoft Corporation in the U.S. and other countries. All other brands and product names are registered trademarks or trademarks of their respective companies or organisations.



For Plastic Waste
Management Details



For Battery Waste
Management Details

Ecology & Environment

KONICA MINOLTA products are designed with the environment in mind.

- Energy Star
- RoHS Compliance
- WEEE Compliance
- Eco-friendly Toners



REQUIREMENTS FOR SAFE USE

- Please read and follow the instruction manual to ensure safe operation.
- Only operate using appropriate power supply and voltage.
- Connecting the earth wire to an inappropriate place may cause explosion or electric shock. Please connect accordingly.

For more information: SMS "KM OFFICE" send to 52424 or Call: **1-800-266-2525**
Konica Minolta Business Solutions India Pvt. Ltd. : 10th Floor, Building No.8, Tower C,
DLF Cyber City, Phase II Gurgaon, Haryana - 122002, India. Board No. +91-124 6652000.
URL: www.konicaminolta.in, marcom@bin.konicaminolta.in | Konica Minolta Inc., Tokyo, Japan.
Connect with us :    

Contact Point:

09/2025