



KONICA MINOLTA

**bizhub** 650i/550i/450i

**bizhub  
i-SERIES IS  
SMARTER  
WORKING**  
RETHINK IT



Giving Shape to Ideas

## CUSTOMER BENEFITS



**Intuitive operability**  
Operate the bizhub like a smartphone or tablet with fully customised user interface



**Mobile connectivity**  
Print anytime from anywhere with Konica Minolta's innovative mobile technologies



**Security**  
Secure network integration, data encryption, hard drive overwrite, and advanced user authentication



**Application ecosystem**  
Enhanced efficiency thanks to Konica Minolta's extensive applications portfolio



**Productivity**  
Reliability, high-speed scanning and printing, combined with powerful finishing functions



**Sustainability**  
Numerous eco features reduce energy consumption and costs

## OPTIONS

### 1 ENHANCED FEATURES

- PDF enhancements LK-102v3
- Voice guidance LK-104v3
- OCR text recognition LK-105v4
- Barcode fonts LK-106
- Unicode fonts LK-107
- OCR A and B fonts LK-108
- Document converter pack LK-110v2
- ThinPrint® client LK-111
- Serverless pull printing LK-114
- Trusted Platform Module activation LK-115v2
- Antivirus LK-116
- T.38 IP fax LK-117



### 2 CONNECTIVITY

- Fax board FK-514 x2
- Wireless LAN UK-221
- USB I/F kit EK-608
- USB I/F kit with bluetooth EK-609
- Biometric authentication AU-102
- ID card reader AU-201S
- Mount kit MK-735

### 3 OTHERS

- Working table WT-506
- 10-Key pad KP-102
- Media Sensor IM-102
- Security kit SC-509
- Keyboard holder KH-102
- Cleaning unit CU-102
- Replacement SSD EM-908

### 4 MEDIA INPUT

- Paper feed cabinet PC-116, 500x1
- Paper feed cabinet PC-216, 500x2
- Paper feed cabinet PC-416, 2500x1
- Paper feed cabinet PC-417, 1500x1 + 1000x1
- Desk DK-516
- Desk DK-705
- Large capacity unit LU-207
- Large capacity unit LU-302
- Banner paper guide MK-730

### 5 MEDIA OUTPUT

- Output tray OT-513
- Job separator<sup>1</sup> JS-508
- Inner finisher<sup>1</sup> FS-533
- Attachment kit<sup>1</sup> MK-607
- Punch kit<sup>1</sup> PK-519
- Staple finisher, 50 sheets FS-539
- Relay unit RU-513
- Staple/booklet finisher, 50 sheets FS-539SD
- Relay unit RU-513
- Punch kit PK-524
- Staple finisher, 100 sheets FS-540
- Relay unit RU-513
- Staple/booklet finisher, 100 sheets FS-540SD
- Relay unit RU-513
- Punch kit PK-526
- Post inserter PI-507
- Job separator JS-602
- Z-fold unit ZU-609

#### LEGEND

- Mandatory option
- Option
- This option can only be installed with the respective option above it

<sup>1</sup> Not applicable to bizhub 650i

## FINISHING FUNCTIONALITIES

- Corner stapling
- Two-point stapling
- Two-hole punching
- Four-hole punching
- Duplex
- Combined mixplex/mixmedia
- Half-fold
- Sheet insertion
- Tri-fold
- Booklet
- Offset sorting
- Z-fold
- Banner printing
- Corner Stapling (offline)

## DESCRIPTION

### ENHANCED FEATURES

LK-102v3 PDF enhancements	PDF/A(1b), PDF encryption, digital signature
LK-104v3 Voice guidance	Supports voice guidance
LK-105v4 OCR text recognition	Searchable PDF and PPTX
LK-106 Barcode fonts	Supports native barcode printing
LK-107 Unicode fonts	Supports native Unicode printing
LK-108 OCR A and B fonts	Supports native OCR A and B font printing
LK-110v2 Document converter pack	Generates various file formats incl. DOCX, XLSX and PDF/A
LK-111 ThinPrint® client	Print data compression for reduced network impact
LK-114 Serverless pull printing	Secure and Follow Me printing solution requiring no server application
LK-115v2 Trusted Platform Module	Trusted Platform Module for protection of data encryption and decryption
LK-116 Antivirus	Bitdefender® antivirus provides real time scanning of all incoming and outgoing data
LK-117 T.38 IP fax	Fax over IP networks (T.38), requires fax kit

### CONNECTIVITY

FK-514 Fax board	Super G3 fax, digital fax functionality
UK-221 Wireless LAN	Wireless LAN and wireless LAN Access Point Mode
EK-608 USB I/F kit	USB keyboard connection
EK-609 USB I/F kit	USB keyboard connection; Bluetooth
AU-102 Biometric authentication	Finger vein scanner
AU-201S ID card reader	Various ID card technologies
MK-735 Mount kit	Installation kit for ID card reader

### OTHERS

WT-506 Working table	Authentication device placement
KP-102 10-Key pad	For use instead of touchscreen
IM-102 Media sensor	For detecting types of media
EM-908 Replacement SSD	1 TB SSD to increase storage space
KH-102 Keyboard holder	To place USB keyboard
CU-102 Air Cleaning Unit	Improving indoor air quality by reduced emission

### MEDIA INPUT

PC-116 1x Paper feed cabinet	550 sheets, A5-A3, 52-256 g/m <sup>2</sup>
PC-216 2x Paper feed cabinet	2x 550 sheets, A5-A3, 52-256 g/m <sup>2</sup>
PC-416 Paper feed cabinet	2,750 sheets, A4, 52-256 g/m <sup>2</sup>
PC-417 Paper feed cabinet	1,650 + 1,100 sheets, A5-A4, 52-256 g/m <sup>2</sup>
LU-302 Large capacity unit	3,300 sheets, A4, 52-256 g/m <sup>2</sup>
LU-207 Large capacity unit	2,750 sheets, A4-SRA3, 52-256 g/m <sup>2</sup>
MK-730 Banner paper guide	Banner paper feeding
DK-516 Desk	Provides storage space for print media and other materials
DK-705 Desk	Caster table

### MEDIA OUTPUT

OT-513 Output tray	Output tray used instead of finisher
JS-508 Job separator <sup>1</sup>	Separation of fax output; etc.
FS-533 Inner finisher <sup>1</sup>	50-sheet stapling, 500 sheets max. output
MK-607 Fan kit <sup>1</sup>	For FS-533 ventilation
PK-519 Punch kit for FS-533 <sup>1</sup>	2/4 hole punching, autoswitching
FS-539 Staple finisher	50 sheets stapling; 3,200 sheets max. output
FS-539SD Booklet finisher	50 sheets stapling; 20 sheets booklet finisher; 2,200 sheets max. output
PK-524 Punch kit for FS-539/SD	2/4 hole punching; autoswitching
FS-540 Staple finisher	100 sheets stapling; 3,200 sheets max. output
FS-540SD Booklet finisher	100 sheets stapling; 20 sheets booklet finisher; 2,700 sheets max. output
PK-526 Punch kit for FS-540/SD	2/4 hole punching; autoswitching
RU-513 Relay unit	For FS-539/SD or FS-540/SD installation
JS-602 Job separator for FS-540/SD	Separation of fax output; etc.
PI-507 Post inserter for FS-540/SD	Cover insertion; post finishing
ZU-609 Z-fold unit for FS-540/SD	Z-fold for A3, B4 or Legal prints

## TECHNICAL SPECIFICATIONS

### SYSTEM SPECIFICATIONS

System speed A4 650i, 550i, 450i	up to 65ppm, up to 55ppm, up to 45ppm
System speed A3 650i, 550i, 450i	up to 32ppm, up to 27ppm, up to 22ppm
Autoduplex speed A4 650i, 550i, 450i	up to 65ppm, up to 55ppm, up to 45ppm
1st page out time A4 650i, 550i, 450i	2.8sec, 3.3 sec, 3.8sec.
Warm-up time <sup>2</sup> 650i, 550i, 450i	17sec, 16 sec, 16 sec.
Imaging technology	Laser
Toner technology	Simitri® HD polymerised toner
Panel size/resolution	10.1" / 1024 x 600
System memory	8GB
System storage (standard/optional)	256 GB SSD / 1 TB SSD
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Network protocols	TCP/IP (IPv4 / IPv6); SMB; LPD; IPP; SNMP; HTTP(S); Bonjour
Automatic document feeder	Up to 300 originals; A6-A3; 35-210 g/m <sup>2</sup> ; DSDF
ADF double feed detection	Standard
Printable paper size	A6-SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	52-300 g/m <sup>2</sup>
Paper input capacity (standard/max)	1,250 sheets / 7,300 sheets

### SYSTEM SPECIFICATIONS

Paper tray input	1x 550; A6-A3; custom sizes; 52-256 g/m <sup>2</sup> 1x 500; A5-SRA3; custom sizes; 52-256 g/m <sup>2</sup>
Paper feed cabinet (optional)	
PC-116	1x 550 sheets; A5-A3; 52-256 g/m <sup>2</sup>
PC-216	2x 550 sheets; A5-A3; 52-256 g/m <sup>2</sup>
PC-416	1x 2,750 sheets; A4; 52-256 g/m <sup>2</sup>
PC-417	1 X 1,650 + 1 X 1,100 sheets, A5-A4; 52-256 g/m <sup>2</sup>
Large capacity unit (optional)	
LU-207	1x 2,750; A4-SRA3; custom sizes; 52-256 g/m <sup>2</sup>
LU-302	1x 3,300; A4; 52-256 g/m <sup>2</sup>
Manual bypass	150 sheets; A6-SRA3; custom sizes; banner; 60-300 g/m <sup>2</sup>
Finishing modes (optional)	Offset; Group; Sort; Staple; Staple (offline); Punch; Half-fold; Tri-fold; Booklet; Post insertion; Z-fold
Automatic duplexing	A6-SRA3; 52-256 g/m <sup>2</sup>
Output capacity (standard/max)	Up to 250 sheets / up to 3,300 sheets
Stapling	Max. 100 sheets or 98 sheets + 2 cover sheets (up to 300 g/m <sup>2</sup> )
Stapling output capacity	Max. 200 sets
Tri-fold	Max. 3 sheets
Tri-fold output capacity	Max. 50 sets; unlimited (without tray)
Booklet	Max. 20 sheets or 19 sheets + 1 cover sheet (up to 300 g/m <sup>2</sup> )
Booklet output capacity	Max. 35 booklets; unlimited (without tray)
Power consumption	220-240 V / 50/60 Hz; Less than 2.00 kW
System dimension (W x D x H)	615 x 688 x 961 mm (without options)
System weight	Approx. 98 kg (without options)

## PRINTER SPECIFICATIONS

Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Operating systems	Windows 7 (32/64); Windows 8.1 (32/64); Windows 10 (32/64); Windows Server 2008 (32/64); Windows Server 2008 R2; Windows Server 2012; Windows Server 2012 R2; Windows Server 2016; Windows Server 2019; Macintosh OS X 10.10 or later; Unix; Linux; Citrix
Printer fonts	80 PCL Latin; 137 PostScript 3 Emulation Latin
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android/Windows 10 Mobile) Google Cloud Print; WiFi Direct

## SCANNER SPECIFICATIONS

Scan speed (mono/colour)	200dpi Simplex, up to 140/140ipm 200dpi Duplex, up to 280/280ipm
Scan resolution	Up to 600 x 600 dpi
Scan modes	Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-Box; Scan-to-USB; Scan-to-WebDAV; Scan-to-DPWS; Scan-to-URL; TWAIN scan
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/ PPTX/XLSX
Scan destinations	2,000 destinations + 100 groups; LDAP support

## COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Gradation	256 gradations
Multicopy	1-9,999
Original format	Max. A3
Magnification	25-400% in 0.1% steps; Auto-zooming

## FAX SPECIFICATIONS (OPTION)

Fax standard	Super G3
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax
Fax resolution	Up to 600 x 600 dpi
Fax compression	MH; MR; MMR; JBIG
Fax modem	Up to 33.6 Kbps
Fax destinations	2,000 single + 100 groups

## USER BOX SPECIFICATIONS

Storable documents	Up to 3,000 documents or 10,000 pages
Type of user boxes	Public; Personal (with password or authentication); Group (with authentication)
Type of system boxes	Secure print; Encrypted PDF print; Fax receipt; Fax polling

## SYSTEM FEATURES


Security functions	ISO 15408 HCD-PP Common Criteria (in evaluation); IP filtering and port blocking; SSL3 and TLS1.0/1.1/1.2 network communication; IPsec support; IEEE 802.1x support; User authentication; Authentication log; Secure print; Kerberos; Hard drive overwrite; Hard drive data encryption (AES 256); Confidential fax; Print user data encryption
Security functions (optional)	Antivirus realtime scanning (Bitdefender®); Copy protection (Copy Guard, Password Copy)
Accounting	Up to 1,000 user accounts; Active Directory support (user name + password + e-mail + smb folder); User function access definition; Authentication by mobile device (Android)
Accounting functions (optional)	Biometric authentication (finger vein scanner); ID card authentication (ID card reader); Authentication by mobile device (iOS)
Software	Net Care Device Manager; Data Administrator; Box Operator; Web Connection; Print Status Notifier; Driver Packaging Utility; Log Management Utility

### \* Tray Capacity is calculated on 70 GSM Media

<sup>1</sup> Not applicable to bizhub 650i

<sup>2</sup> Warm-up time may vary depending on the operating environment and usage

- All specifications refer to A4-size paper of 80 g/m<sup>2</sup> quality.
  - The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
  - The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (6% coverage of A4). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.
  - Some of the product illustrations contain optional accessories.
  - Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
  - All information stated in the brochure is correct at time of printing and subject to change without notice.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.



**Regional Headquarters**  
**Konica Minolta Business Solutions Asia Pte Ltd.**  
 30 Pasir Panjang Road, #06-32  
 Mapletree Business City  
 Singapore 117440  
 Tel: +65 6361 2800  
 Fax: +65 6361 2888  
 Email: enquiry@konicaminolta.sg  
 www.konicaminolta.asia/business

### PRESENCE IN THE REGION

BANGLADESH . BHUTAN . BRUNEI . CAMBODIA . INDONESIA . LAOS . MALAYSIA . MAURITIUS . MYANMAR . PHILIPPINES . SINGAPORE . SRI LANKA . THAILAND . VIETNAM

## About Konica Minolta Business Solutions Asia

Konica Minolta Business Solutions Asia is transforming the workplace of the future with its customer-centric solutions and hardware for the digitally connected world. We are committed to creating new values for the society with our expertise. From information management to technology enabling tools, the solutions help businesses improve their time to information, support mobility, and optimize business processes with workflow automation. Konica Minolta, Inc. has also been named to the Dow Jones Sustainability World Index, one of the most prestigious global indices of ESG investment, for seven years in a row. For more information, please visit <http://www.konicaminolta.sg/business/>.

(Information accurate as of 1 October 2019)

Our organisation is certified according to ISO27001, ISO9001, ISO14001 and ISO13485 standards.



Scan Me for more info !

