bizhub
i-SERIES IS
SMARTER
WORKING
RETHINK IT

KONICA MINOLTA

Giving Shape to Ideas

CUSTOMER BENEFITS

Intuitive operability
Operate the bizhub like a smartphone or tablet with fully customised user interface

Mobile connectivity
Print anytime from anywhere with Konica Minolta´s innovative mobile technologies

Security
Secure network integration, data encryption, hard drive overwrite, and advanced user authentication

Application ecosystem
Enhanced efficiency thanks to Konica Minolta's extensive applications portfolio

Services
Efficient printer fleet management, including automatic consumables delivery, pro-active maintenance and remote setup

Sustainability
Efficient printer fleet management, including automatic consumables delivery, pro-active maintenance and remote setup

OPTIONS

1 ENHANCED FEATURES

Antivirus
LK-116*¹

2 CONNECTIVITY

Wireless LAN
UK-221

USB I/F kit
EK-608   OR

USB I/F kit
EK-609

Biometric authentication
AU-102   OR

ID card reader
AU-201S

Mount kit
MK-735

3 OTHERS

Reverse automatic document feeder
DF-633   OR

Original cover
OC-513

Working table
WT-515

10-Key pad
KP-101

Air cleaning unit
CU-101

Mount kit
MK-748

Expansion SSD
EM-907

4 MEDIA INPUT

1 x Universal tray
PC-118   OR

2 x Universal tray
PC-218   OR

Large capacity tray
PC-418   OR

Copier desk
DK-518

LEGEND

■ Mandatory option

■ Option

■ This option can only be installed with the respective option above it

¹ Requires optional EM-907

FINISHING FUNCTIONALITIES

Duplex

Booklet

Banner printing

Offset sorting

DESCRIPTION

ENHANCED FEATURES

LK-116 Antivirus	Bitdefender® antivirus provides real time scanning of all incoming and outgoing data

CONNECTIVITY

EK-608 USB I/F kit	USB keyboard connection
EK-609 USB I/F kit	USB keyboard connection; Bluetooth
UK-221 Wireless LAN	Wireless LAN and wireless LAN Access Point Mode
MK-735 Mount kit	Installation kit for ID card reader
AU-102 Biometric authentication	Finger vein scanner
AU-201S ID card reader	Various ID card technologies

OTHERS

DF-633 Document feeder	Reversing automatic document feeder, capacity 130 originals
OC-513 Original cover	Cover instead of ADF
WT-515 Working table	Working table for upright panel
KP-101 10-Key pad	For use instead of touchscreen
EM-907 Expansion SSD	256GB SSD to improve MFP performance
CU-101 Air cleaning unit	Improving indoor air quality by reduced emissions
MK-748 Mount kit	Installation kit for Air cleaning unit

MEDIA INPUT

PC-118 Universal tray	525 sheets, A5-A3 60-256 g/m²
PC-218 Universal tray	2x 525 sheets, A5-A3, 60-256 g/m²
PC-418 Large capacity tray	2,625 sheets, A4, 60-256 g/m²
DK-518 desk	Provides storage space for print media and other materials

TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

System speed A4	Up to 22/22 ppm (mono/colour)
System speed A3	Up to 12/12 ppm (mono/colour)
Autoduplex speed A4	Up to 22/22 ppm (mono/colour)
1st page out time A4	6.8/8.4 sec. (mono/colour)
Warm-up time	Approx. 20 sec. (mono/colour)*²
Imaging technology	Laser
Panel size/resolution	7'' / 800 x 480
System memory	6 GB
System storage(standard/optional)	8 GB microSD/256 GB SSD
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Network protocols	TCP/IP (IPv4 / IPv6); SMB; LPD; IPP; SNMP; HTTP(S); Bonjour
Automatic document feeder	Up to 130 originals; A5-A3; 35-128 g/m²; RADF
Paper tray input (standard)	1x 525; A5-A4; custom sizes; 60-256 g/m² 1x 525; A5-A3; custom sizes; 60-256 g/m²
Paper tray input (optional)	1x 525 sheets; A5-A3; custom sizes; 60-256 g/m² 2x 525 sheets; A5-A3; custom sizes; 60-256 g/m² 1x 2,625 sheets; A4; custom sizes; 60-256 g/m²
Manual bypass	100 sheets; A6-A3; custom sizes,banner; 60-256 g/m²
Automatic duplexing	A5-A3; 60-256 g/m²
Output capacity	Max. 250 sheets
Toner lifetime	Black up to 24,000 pages CMY up to 24,000 pages
Power consumption	220-240 V / 50/60 Hz; Less than 1.50 kW
System dimension (W x D x H)	571 x 661 x 786 mm (without options)
System weight	Approx. 70.0 kg (without options)

PRINTER SPECIFICATIONS

Print resolution	1,800 (equivalent) x 600 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Operating systems	Windows 7 (32/64); Windows 8.1 (32/64); Windows 10 (32/64); Windows Server 2008 (32/64); Windows Server 2008 R2; Windows Server 2012; Windows Server 2012 R2; Windows Server 2016; Windows Server 2019; Macintosh OS X 10.10 or later; Unix;Linux;Citrix
Printer fonts	80 PCL Latin; 137 PostScript 3 Emulation Latin
Mobile printing	AirPrint (iOS); Mopria (Android); Mobile Authentication and Pairing (iOS/Android); Konica Minolta Mobile Print (iOS/Android/Windows 10 Mobile); WiFi Direct

SCANNER SPECIFICATIONS

Scan modes*¹	Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-Box; Scan-to-USB; Scan-to-WebDAV; Scan-to-DPWS; Scan-to-URL; TWAIN scan
File formats*¹	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX
Scan destinations*¹	2,000 + 100 (single+groups); LDAP support

COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Gradation	256 gradations
Multicopy	1-9,999
Original format	Max. A3
Magnification	25-400% in 0.1% steps; Auto-zooming

USER BOX SPECIFICATIONS

|	
Storable documents*¹	Up to 3,000 documents or 10,000 pages
Type of user boxes	Public; Personal (with password or authentication); Group (with authentication)

SYSTEM FEATURES

Software	PageScope Net Care Device Manager; PageScope Data Administrator; PageScope Box Operator; PageScope Web Connection; Print Status Notifier; Driver Packaging Utility; Log Management Utility
Security Functions*¹	IP filtering and port blocking; SSL2; SSL3 and TLS1.0/1.1/1.2 network communication; IPsec support; IEEE 802.1x support; User authentication; Authentication log; Secure print; Kerberos; Hard disk overwrite*¹ (8 standard types); Hard disk data encryption*¹ (AES 256); Memory data auto deletion; Print user data encryption
Security Functions*¹ **(optional)**	Antivirus realtime scanning (Bitdefender®)
Accounting*¹	Up to 1,000 user accounts; Active Directory support (user name + password + e-mail + smb folder); User function access definition
Accounting Functions (optional)	Biometric authentication (finger vein scanner); ID card authentication (ID card reader); Authentication by mobile device (Android/iOS)

* Tray Capacity is calculated on 70 GSM Media

¹ Requires optional EM-907

² Warm-up time may vary depending on the operating environment and usage

– All specifications refer to A4-size paper of 80 g/m² quality.
– The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
– The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (5% coverage of A4). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.
– Some of the product illustrations contain optional accessories.
– Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
– Konica Minolta does not warrant that any specifications mentioned will be error-free.
– All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.